

Facility Information

RESULT: Satisfactory

Permit Number: 06-48-00219

Name of Facility: Deerfield Park Elementary School

Address: 650 SW 3 Avenue City, Zip: Deerfield Beach 33441

Type: School (more than 9 months)

Owner: Broward County School Board - Food & Nutrition Services

Person In Charge: Broward County School Board - Food & Nutrition Services

PIC Email: cesquea.grant@browardschools.com

<u>Inspection Information</u>

Purpose: Routine

Inspection Date: 11/8/2024 Correct By: Next Inspection Re-Inspection Date: None Number of Risk Factors (Items 1-29): 1 Number of Repeat Violations (1-57 R): 1

FacilityGrade: N/A

StopSale: No

Begin Time: 10:30 AM End Time: 11:22 AM

Marking Key: IN=the act or item was observed to be in compliance; OUT=the act or item was observed to be out of compliance; NO=the act or item was not observed to be occurring at the time of inspection; NA=the act or item is not performed by the facility; COS=violation corrected on site; R=repeat violation from previous inspection

FoodBorne Illness Risk Factors And Public Health Interventions

SUPERVISION

- 1. Demonstration of Knowledge/Training
- IN 2. Certified Manager/Person in charge present **EMPLOYEE HEALTH**
- IN 3. Knowledge, responsibilities and reporting
- IN 4. Proper use of restriction and exclusion
- 1 5. Responding to vomiting & diarrheal events **GOOD HYGIENIC PRACTICES**
- in 6. Proper eating, tasting, drinking, or tobacco use
- IN 7. No discharge from eyes, nose, and mouth PREVENTING CONTAMINATION BY HANDS
- N 8. Hands clean & properly washed
- IN 9. No bare hand contact with RTE food
- IN 10. Handwashing sinks, accessible & supplies APPROVED SOURCE
- IN 11. Food obtained from approved source
- NO 12. Food received at proper temperature
- IN 13. Food in good condition, safe, & unadulterated
- NA 14. Shellstock tags & parasite destruction PROTECTION FROM CONTAMINATION
- IN 15. Food separated & protected; Single-use gloves

- 16. Food-contact surfaces; cleaned & sanitized
- 17. Proper disposal of unsafe food

TIME/TEMPERATURE CONTROL FOR SAFETY

NO 18. Cooking time & temperatures

Phone: (754) 321

- NO 19. Reheating procedures for hot holding
- NO 20. Cooling time and temperature
- OUT 21. Hot holding temperatures (COS)
 - N 22. Cold holding temperatures
 - N 23. Date marking and disposition
- NA 24. Time as PHC; procedures & records CONSUMER ADVISORY
- NA 25. Advisory for raw/undercooked food HIGHLY SUSCEPTIBLE POPULATIONS
- IN 26. Pasteurized foods used; No prohibited foods
- ADDITIVES AND TOXIC SUBSTANCES IN 27. Food additives: approved & properly used
- 28. Toxic substances identified, stored, & used APPROVED PROCEDURES

NA 29. Variance/specialized process/HACCP

Inspector Signature:

Form Number: DH 4023 03/18

Client Signature:

Cacoras 12

06-48-00219 Deerfield Park Elementary School



Good Retail Practices

SAFE FOOD AND WATER

- in 30. Pasteurized eggs used where required
- IN 31. Water & ice from approved source
- NA 32. Variance obtained for special processing FOOD TEMPERATURE CONTROL
- N 33. Proper cooling methods; adequate equipment
- IN 34. Plant food properly cooked for hot holding
- IN 35. Approved thawing methods
 IN 36. Thermometers provided & accurate FOOD IDENTIFICATION
- 37. Food properly labeled; original container PREVENTION OF FOOD CONTAMINATION
- N 38. Insects, rodents, & animals not present
- 1N 39. No Contamination (preparation, storage, display)
- iN 40. Personal cleanliness
- IN 41. Wiping cloths: properly used & stored
- NO 42. Washing fruits & vegetables
 - PROPER USE OF UTENSILS
- iN 43. In-use utensils: properly stored
- IN 44. Equipment & linens: stored, dried, & handled
- IN 45. Single-use/single-service articles: stored & used

- NA 46. Slash resistant/cloth gloves used properly UTENSILS, EQUIPMENT AND VENDING
- IN 47. Food & non-food contact surfaces
- IN 48. Ware washing: installed, maintained, & used; test strips
- IN 49. Non-food contact surfaces clean PHYSICAL FACILITIES
- IN 50. Hot & cold water available; adequate pressure
- OUT 51. Plumbing installed; proper backflow devices
 - IN 52. Sewage & waste water properly disposed
 - IN 53. Toilet facilities: supplied, & cleaned
- OUT 54. Garbage & refuse disposal
- OUT 55. Facilities installed, maintained, & clean OUT 56. Ventilation & lighting (R)
- IN 57. Permit; Fees; Application; Plans

This form serves as a "Notice of Non-Compliance" pursuant to section 120.695, Florida Statutes. Items marked as "out" violate one or more of the requirements of Chapter 64E-11, the Florida Administrative Code or Chapter 381.0072, Florida Statutes. Violations must be corrected within the time period indicated above. Continued operation of this facility without making these corrections is a violation. Failure to correct violations in the time frame specified may result in enforcement action being initiated by the Department of Health.

Inspector Signature:

Form Number: DH 4023 03/18

Client Signature:

Cacous (A) 06-48-00219 Deerfield Park Elementary School



Violations Comments

Violation #21. Hot holding temperatures

Hot TCS food (fried yucca) tested F, not held at 135F or above. Reheat foods at 165F/Reheat commercial product at 135F or above. Items placed in oven for reheating

CODE REFERENCE: 64E-11.003(2). PHF/TCS foods, which are held hot and not subject to an approved HACCP plan, must be maintained at 135°F.

Violation #51. Plumbing installed; proper backflow devices

Observed 3 compartment sink leaking. Repair sink to stop leaking. Work order #1014782 placed

CODE REFERENCE: 64E-11.003(5)(c). Plumbing will be installed and maintained to comply with plumbing requirements, including backflow prevention devices. A mop sink will be provided.

Violation #54. Garbage & refuse disposal

Garbage dumpster not kept covered with tight fitted covers. Maintain garbage container/dumpster closed, provide tight fitted lids.

CODE REFERENCE: 64E-11.003(5). Garbage shall be disposed of to prevent vector harborage. Trash cans will be durable, cleanable, leak proof, insect and rodent resistant, and non-absorbent. Outside storage area shall be of a smooth, non-absorbent material and sloped to a drain.

Violation #55. Facilities installed, maintained, & clean

Observed opening in ceiling in laudry area and in dry storage. Repair ceiling.

Observed brown spots on ceiling in dry storage room. Clean ceiling.

CODE REFERENCE: 64E-11.003(5). Floors, walls, and ceilings shall be smooth, durable, easily cleanable, and non-absorbent. Exterior areas shall be kept cleaned.

Violation #56. Ventilation & lighting

Observed light flickering in reach-in freezer and one light out in reach-in refrigerator. Repair/replace light bulb. Work order placed.

CODE REFERENCE: 64E-11.003(6)(a). Adequate exhaust ventilation hood systems in food prep and warewashing areas shall be provided and designed. 50 foot candles shall be at surfaces where employees work with food and 20 foot candles shall be at surfaces where food is provided to consumers.

Inspector Signature:

Client Signature:

Form Number: DH 4023 03/18

06-48-00219 Deerfield Park Elementary School



<u>General Comments</u>

deneral Confidence	
Employee Food Safety Training/Employee Health policy training completed on 08/09/24.	
Food Temps	
Cold Foods:	
Milk: 40F	·
Yogurt:38F	
Hot Foods:	
Pizza : 142F	
Carrots:137F Fried Yucca: 122F;see violation	
Thed rucca. 122F, see violation	
Refrigerator Temps	
Reach-in refrigerator: 32F-41F Reach-in freezer: 0F	
Walk-in freezer: 0F	
Milk Chest: 35F	
Ice Cream Freezer:-10F	
Hot Water Temps	
Kitchen handsink: 108F	
3 comp. sink: 112F	
Food prep sink: 106F	
Employee bathroom handsink: 100F-101F Mopsink: 110F	
3 comp. sink chemical sanitizer: QAC-200ppm Wiping Bucket:QAC-200ppm	
PEST CONTROL	
Facility must implement an Integrated Pest Management plan.	
Pest Control service provided by Tower Pest Control.	
NON-SERVICE ANIMALS	
No dogs or non-service animals allowed inside establishment.	
Email Address(es): cesquea.grant@browardschools.com	

Inspector Signature:

Client Signature:

Form Number: DH 4023 03/18

06-48-00219 Deerfield Park Elementary School



Inspection Conducted By: Rhonda Anderson (6608) Inspector Contact Number: Work: (954) 412-7034 ex. Print Client Name:

Date: 11/8/2024

Inspector Signature:

Form Number: DH 4023 03/18

Client Signature:

Cacous A 06-48-00219 Deerfield Park Elementary School