

STATE OF FLORIDA  
DEPARTMENT OF HEALTH  
COUNTY HEALTH DEPARTMENT  
FOOD SERVICE  
INSPECTION REPORT



**Facility Information**

**RESULT: Satisfactory**

Permit Number: 06-48-00593  
 Name of Facility: Park Springs Elemementary School  
 Address: 5800 NW 66 Terrace  
 City, Zip: Coral Springs 33067  
  
 Type: School (9 months or less)  
 Owner: Broward County School Board - Food & Nutrition Services  
 Person In Charge: Park Springs Elemementary School      Phone: 754-322-7760  
 PIC Email: angie.denner@browardschools.com

**Inspection Information**

Purpose: Routine	Number of Risk Factors (Items 1-29): 0	Begin Time: 09:58 AM
Inspection Date: 9/4/2024	Number of Repeat Violations (1-57 R): 1	End Time: 10:44 AM
Correct By: Next Inspection	FacilityGrade: N/A	
<b>Re-Inspection Date: None</b>	StopSale: No	

*Marking Key: IN=the act or item was observed to be in compliance; OUT=the act or item was observed to be out of compliance; NO=the act or item was not observed to be occurring at the time of inspection; NA=the act or item is not performed by the facility; COS=violation corrected on site; R=repeat violation from previous inspection*

**FoodBorne Illness Risk Factors And Public Health Interventions**

**SUPERVISION**

- IN** 1. Demonstration of Knowledge/Training
- IN** 2. Certified Manager/Person in charge present

**EMPLOYEE HEALTH**

- IN** 3. Knowledge, responsibilities and reporting
- IN** 4. Proper use of restriction and exclusion
- IN** 5. Responding to vomiting & diarrheal events

**GOOD HYGIENIC PRACTICES**

- IN** 6. Proper eating, tasting, drinking, or tobacco use
- IN** 7. No discharge from eyes, nose, and mouth

**PREVENTING CONTAMINATION BY HANDS**

- IN** 8. Hands clean & properly washed
- IN** 9. No bare hand contact with RTE food
- IN** 10. Handwashing sinks, accessible & supplies

**APPROVED SOURCE**

- IN** 11. Food obtained from approved source
- NO** 12. Food received at proper temperature
- IN** 13. Food in good condition, safe, & unadulterated
- NA** 14. Shellstock tags & parasite destruction

**PROTECTION FROM CONTAMINATION**

- IN** 15. Food separated & protected; Single-use gloves

- IN** 16. Food-contact surfaces; cleaned & sanitized

- NO** 17. Proper disposal of unsafe food

**TIME/TEMPERATURE CONTROL FOR SAFETY**

- IN** 18. Cooking time & temperatures
- NO** 19. Reheating procedures for hot holding
- NO** 20. Cooling time and temperature
- IN** 21. Hot holding temperatures
- IN** 22. Cold holding temperatures
- IN** 23. Date marking and disposition
- NA** 24. Time as PHC; procedures & records

**CONSUMER ADVISORY**

- NA** 25. Advisory for raw/undercooked food

**HIGHLY SUSCEPTIBLE POPULATIONS**

- IN** 26. Pasteurized foods used; No prohibited foods

**ADDITIVES AND TOXIC SUBSTANCES**

- IN** 27. Food additives: approved & properly used
- IN** 28. Toxic substances identified, stored, & used

**APPROVED PROCEDURES**

- NA** 29. Variance/specialized process/HACCP

Inspector Signature:

Client Signature:

STATE OF FLORIDA  
DEPARTMENT OF HEALTH  
COUNTY HEALTH DEPARTMENT  
FOOD SERVICE  
INSPECTION REPORT



**Good Retail Practices**

<b>SAFE FOOD AND WATER</b>	
<u>IN</u> 30. Pasteurized eggs used where required	<u>NO</u> 46. Slash resistant/cloth gloves used properly
<u>IN</u> 31. Water & ice from approved source	<b>UTENSILS, EQUIPMENT AND VENDING</b>
<u>NA</u> 32. Variance obtained for special processing	<u>IN</u> 47. Food & non-food contact surfaces
<b>FOOD TEMPERATURE CONTROL</b>	<u>IN</u> 48. Ware washing: installed, maintained, & used; test strips
<u>IN</u> 33. Proper cooling methods; adequate equipment	<u>IN</u> 49. Non-food contact surfaces clean
<u>IN</u> 34. Plant food properly cooked for hot holding	<b>PHYSICAL FACILITIES</b>
<u>IN</u> 35. Approved thawing methods	<u>IN</u> 50. Hot & cold water available; adequate pressure
<u>IN</u> 36. Thermometers provided & accurate	<u>IN</u> 51. Plumbing installed; proper backflow devices
<b>FOOD IDENTIFICATION</b>	<u>IN</u> 52. Sewage & waste water properly disposed
<u>IN</u> 37. Food properly labeled; original container	<u>IN</u> 53. Toilet facilities: supplied, & cleaned
<b>PREVENTION OF FOOD CONTAMINATION</b>	<u>IN</u> 54. Garbage & refuse disposal
<u>IN</u> 38. Insects, rodents, & animals not present	<u>OUT</u> 55. Facilities installed, maintained, & clean (R)
<u>IN</u> 39. No Contamination (preparation, storage, display)	<u>OUT</u> 56. Ventilation & lighting
<u>IN</u> 40. Personal cleanliness	<u>IN</u> 57. Permit; Fees; Application; Plans
<u>IN</u> 41. Wiping cloths: properly used & stored	
<u>NO</u> 42. Washing fruits & vegetables	
<b>PROPER USE OF UTENSILS</b>	
<u>IN</u> 43. In-use utensils: properly stored	
<u>IN</u> 44. Equipment & linens: stored, dried, & handled	
<u>IN</u> 45. Single-use/single-service articles: stored & used	

*This form serves as a "Notice of Non-Compliance" pursuant to section 120.695, Florida Statutes. Items marked as "out" violate one or more of the requirements of Chapter 64E-11, the Florida Administrative Code or Chapter 381.0072, Florida Statutes. Violations must be corrected within the time period indicated above. Continued operation of this facility without making these corrections is a violation. Failure to correct violations in the time frame specified may result in enforcement action being initiated by the Department of Health.*

**Violations Comments**

<p>Violation #55. Facilities installed, maintained, &amp; clean Observed ceiling tiles with black mold-like stain in dry goods storage. Replace ceiling tiles. Observed missing ceiling tiles by employee restroom. Place ceiling tiles.</p> <p>Work order for special cut ceiling tiles: # 976432</p> <p>CODE REFERENCE: 64E-11.003(5). Floors, walls, and ceilings shall be smooth, durable, easily cleanable, and non-absorbent. Exterior areas shall be kept cleaned.</p>
<p>Violation #56. Ventilation &amp; lighting Light bulb out above milk cooler. Replace lightbulb. CODE REFERENCE: 64E-11.003(6)(a). Adequate exhaust ventilation hood systems in food prep and warewashing areas shall be provided and designed. 50 foot candles shall be at surfaces where employees work with food and 20 foot candles shall be at surfaces where food is provided to consumers.</p>

Inspector Signature:

Client Signature:

STATE OF FLORIDA  
DEPARTMENT OF HEALTH  
COUNTY HEALTH DEPARTMENT  
FOOD SERVICE  
INSPECTION REPORT



**General Comments**

Employee Food Safety Training/Employee Health policy training completed on 8/7/2024.

**Food Temps**

Milk: 36 F, use-by 9/18  
String cheese: 39 F, use-by  
Corn: 165 F  
Beans: 189 F  
Mac and cheese: 154 F

**Refrigerator Temps**

Reach-in refrigerator: 30 F / 38 F  
Milk cooler: 32 F  
Walk-in refrigerator: 24 F  
Walk-in freezer: -10 F

**Hot Water Temps**

Kitchen handsink: 129 F, cold water provided  
3 comp. sink: 136 F  
Food prep sink: 127 F  
Employee bathroom handsink: 110 to 112 F  
Mopsink: 113 F

**Warewashing Procedure/Sanitizer Used**

3 comp. sink chemical sanitizer: recently set up, tablets not yet dissolved.  
Sanitizer Test kit provided.

**Probe Food Thermometer**

Thermometer calibrated at 32F.

**Pest Control**

Pest Control service provided by Tower Pest Control, service 8/16

**Non-Service Animals**

No dogs or non-service animals allowed inside establishment.

Email Address(es): angie.denner@browardschools.com;  
denise.hanson@browardschools.com

Inspection Conducted By: Stella Aquino Figueroa (6599)

Inspector Contact Number: Work: (954) 412-7320 ex.

Print Client Name:

Date: 9/4/2024

Inspector Signature:

Handwritten signature of the inspector, appearing to be "SAF".

Client Signature:

Handwritten signature of the client, appearing to be "ME".